

Comparative Statement for electrical items FY 2021-2022						
Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Period of Delivery (No. of Days) (6)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)	
					R.K ENTERPRISE	NEWLIFE ENTERPRISE
A	Wires	NA	1.000	30.000	0.000	0.000
A1	PVC Insulated Copper Conductor - BSB Approved Brand	NA	1.000	30.000	0.000	0.000
1.0	0.75 sq.mm	Mtrs	1.000	30.000	12.000	16.000
2.0	1.0 sq.mm	Mtrs	1.000	30.000	15.000	19.000
3.0	1.5 sq mm	Mtrs	1.000	30.000	22.000	23.000
4.0	2.5 sq.mm	Mtrs	1.000	30.000	37.000	32.000
5.0	4 sq.mm	Mtrs	1.000	30.000	49.000	53.000
6.0	6 sq.mm	Mtrs	1.000	30.000	64.000	66.000
A2	Earth Wire - BSB Approved Brand	NA	1.000	30.000	0.000	0.000
1.0	1 sq.mm bare Cu running earthing	Mtrs	1.000	30.000	15.000	0.000
2.0	1.5 sq.mm bare Cu running earthing	Mtrs	1.000	30.000	23.000	0.000
3.0	2.5 sq.mm bare Cu running earthing	Mtrs	1.000	30.000	39.000	0.000
4.0	1.5 sq.mm green PVC insulated Cu running earthing	Mtrs	1.000	30.000	29.000	24.000
5.0	2.5 sq.mm green PVC insulated Cu running earthing	Mtrs	1.000	30.000	39.000	36.000
6.0	GI wire, 8 SWG	Mtrs	1.000	30.000	49.000	129.000

7.0	GI wire, 14 SWG	Mtrs	1.000	30.000	29.000	129.000
8.0	Copper wire ,8 SWG	Mtrs	1.000	30.000	94.000	399.000
9.0	Copper wire ,14 SWG	Mtrs	1.000	30.000	74.000	399.000
A3	Flexible Wire- BSB Approved Brand	NA	1.000	30.000	0.000	0.000
1.0	Flexible wire, copper 1sqmm (23/76)	Roll	1.000	30.000	849.000	1649.000
2.0	Flexible wire, Heavy duty 1.5sqmm (40/76)	Roll	1.000	30.000	1249.000	2149.000
B	Power Cable	N/A	1.000	30.000	0.000	0.000
B1	AlumuniumArmoured under ground/ power cable - BSB Approved Brand	N/A	1.000	30.000	0.000	0.000
1.0	06sq.mm, 2 core	Mtrs	1.000	30.000	124.000	161.000
2.0	10sq.mm, 2 core	Mtrs	1.000	30.000	149.000	199.000
3.0	16sq.mm, 2 core	Mtrs	1.000	30.000	169.000	249.000
4.0	25sq.mm, 2 core	Mtrs	1.000	30.000	199.000	449.000
5.0	10sq.mm, 3 core	Mtrs	1.000	30.000	179.000	308.000
6.0	16sq.mm, 3 core	Mtrs	1.000	30.000	189.000	385.000
7.0	25sq.mm, 3 core	Mtrs	1.000	30.000	249.000	695.000
8.0	35sq.mm, 3 core	Mtrs	1.000	30.000	324.000	895.000
9.0	50sq.mm, 3 core	Mtrs	1.000	30.000	424.000	1078.000
10.0	10sq.mm, 4 core	Mtrs	1.000	30.000	199.000	477.000
11.0	16sq.mm, 4 core	Mtrs	1.000	30.000	229.000	596.000
12.0	25sq.mm, 4 core	Mtrs	1.000	30.000	309.000	1077.000
13.0	50sq.mm, 4 core	Mtrs	1.000	30.000	519.000	1669.000

14.0	60sq.mm, 4 core	Mtrs	1.000	30.000	699.000	0.000
15.0	70sq.mm, 4 core	Mtrs	1.000	30.000	859.000	1779.000
B2	AlumuniumUnarmoured power cable - BSB Approved Brand	NA	1.000	30.000	0.000	0.000
1.0	6sq.mm, 2 core	Mtrs	1.000	30.000	79.000	0.000
2.0	10sq.mm, 2 core	Mtrs	1.000	30.000	109.000	0.000
3.0	16sq.mm, 2 core	Mtrs	1.000	30.000	159.000	0.000
4.0	25sq.mm, 2 core	Mtrs	1.000	30.000	219.000	0.000
5.0	10sq.mm, 3 core	Mtrs	1.000	30.000	134.000	0.000
6.0	16sq.mm, 3 core	Mtrs	1.000	30.000	149.000	0.000
7.0	25sq.mm, 3 core	Mtrs	1.000	30.000	219.000	0.000
8.0	35sq.mm, 3 core	Mtrs	1.000	30.000	299.000	0.000
9.0	50sq.mm, 3 core	Mtrs	1.000	30.000	379.000	0.000
10.0	10sq.mm, 4 core	Mtrs	1.000	30.000	149.000	0.000
11.0	16sq.mm, 4 core	Mtrs	1.000	30.000	189.000	0.000
12.0	25sq.mm, 4 core	Mtrs	1.000	30.000	289.000	0.000
13.0	35sq.mm, 4 core	Mtrs	1.000	30.000	359.000	0.000
B3	Copper Armoured under ground/ power cable - BSB Approved Brand	N/A	1.000	30.000	0.000	0.000
1.0	06sq.mm, 2 core	Mtrs	1.000	30.000	319.000	0.000
2.0	10sq.mm, 2 core	Mtrs	1.000	30.000	499.000	0.000
3.0	16sq.mm, 2 core	Mtrs	1.000	30.000	649.000	0.000

4.0	25sq.mm, 2 core	Mtrs	1.000	30.000	1094.000	0.000
5.0	10sq.mm, 3 core	Mtrs	1.000	30.000	684.000	0.000
6.0	16sq.mm, 3 core	Mtrs	1.000	30.000	979.000	0.000
7.0	25sq.mm, 3 core	Mtrs	1.000	30.000	1549.000	0.000
8.0	35sq.mm, 3 core	Mtrs	1.000	30.000	2094.000	0.000
9.0	50sq.mm, 3 core	Mtrs	1.000	30.000	2894.000	0.000
10.0	10sq.mm, 4 core	Mtrs	1.000	30.000	859.000	0.000
11.0	16sq.mm, 4 core	Mtrs	1.000	30.000	1269.000	0.000
12.0	25sq.mm, 4 core	Mtrs	1.000	30.000	1984.000	0.000
13.0	35sq.mm, 4 core	Mtrs	1.000	30.000	2934.000	0.000
14.0	50sq.mm, 4 core	Mtrs	1.000	30.000	3849.000	0.000
16.0	70sq.mm, 4 core	Mtrs	1.000	30.000	5579.000	0.000
B4	Copper Unarmoured power cable - BSB Approved Brand	NA	1.000	30.000	0.000	0.000
1.0	6sq.mm, 2 core	Mtrs	1.000	30.000	279.000	0.000
2.0	10sq.mm, 2 core	Mtrs	1.000	30.000	484.000	0.000
3.0	16sq.mm, 2 core	Mtrs	1.000	30.000	634.000	0.000
4.0	25sq.mm, 2 core	Mtrs	1.000	30.000	1064.000	0.000
5.0	10sq.mm, 3 core	Mtrs	1.000	30.000	664.000	0.000
6.0	16sq.mm, 3 core	Mtrs	1.000	30.000	929.000	0.000
7.0	25sq.mm, 3 core	Mtrs	1.000	30.000	1464.000	0.000
8.0	35sq.mm, 3 core	Mtrs	1.000	30.000	1949.000	0.000

9.0	50sq.mm, 3 core	Mtrs	1.000	30.000	2729.000	0.000
10.0	10sq.mm, 4 core	Mtrs	1.000	30.000	779.000	0.000
11.0	16sq.mm, 4 core	Mtrs	1.000	30.000	1194.000	0.000
12.0	25sq.mm, 4 core	Mtrs	1.000	30.000	1864.000	0.000
13.0	35sq.mm, 4 core	Mtrs	1.000	30.000	2789.000	0.000
14.0	50sq.mm, 4 core	Mtrs	1.000	30.000	3592.000	0.000
C	Telephone wire / TV	N/A	1.000	30.000	0.000	0.000
1.0	0.5 sq.mm single pair, PVC insulated & sheathed copper wire. - Lapp cable, ATC	Mtrs	1.000	30.000	44.000	0.000
2.0	0.5 sq.mm double pair, PVC insulated & sheathed copper wire. - Lapp cable, ATC	Mtrs	1.000	30.000	69.000	0.000
3.0	T.V cable, Coaxil cable - Lapp cable, ATC	Mtrs	1.000	30.000	39.000	0.000
D	Conduit & Accessories - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	PVC conduit 25mmX1.5 mm, elbow	Pc	1.000	30.000	7.000	19.000
2.0	PVC conduit 25mmX1.5 mm, junction box, 1 way	Pc	1.000	30.000	19.000	24.000
3.0	PVC conduit 25X1.5 mm, junction box, 2 way	Pc	1.000	30.000	19.000	24.000
4.0	PVC conduit 25X1.5 mm, junction box, 3 way	Pc	1.000	30.000	19.000	24.000
5.0	PVC conduit 25X1.5 mm, junction box, 4 way	Pc	1.000	30.000	19.000	24.000
6.0	PVC conduit 25X1.5 mm, pipe, 10ft	Pc	1.000	30.000	94.000	119.000

7.0	PVC conduit 25X1.5 mm, tee joint	Pc	1.000	30.000	9.000	19.000
8.0	PVC conduit 25X1.5 mm, saddle with base	Pc	1.000	30.000	7.000	6.000
9.0	PVC conduit 25X1.5 mm, elbow	Pc	1.000	30.000	7.000	19.000
10.0	PVC conduit 25X1.5 mm, junction box, 1 way	Pc	1.000	30.000	19.000	24.000
11.0	PVC conduit 25X1.5 mm, junction box, 2 way	Pc	1.000	30.000	19.000	24.000
12.0	PVC conduit 19X1.5 mm, junction box, 3 way	Pc	1.000	30.000	14.000	21.000
13.0	PVC conduit 19X1.5 mm, junction box, 4 way	Pc	1.000	30.000	14.000	21.000
14.0	PVC conduit 19X1.5 mm, pipe, 10ft	Pc	1.000	30.000	79.000	74.000
15.0	PVC conduit 19X1.5 mm, tee joint	Pc	1.000	30.000	5.000	14.000
16.0	PVC conduit 19X1.5 mm, saddle with base	Pc	1.000	30.000	5.000	14.000
17.0	PVC conduit 19X1.5 mm, elbow	Pc	1.000	30.000	5.000	21.000
18.0	PVC conduit 19X1.5 mm, junction box, 1 way	Pc	1.000	30.000	14.000	21.000
19.0	PVC conduit 19X1.5 mm, junction box, 2 way	Pc	1.000	30.000	14.000	21.000
20.0	PVC conduit 19X1.5 mm, junction box, 3 way	Pc	1.000	30.000	14.000	21.000
21.0	PVC conduit 19X1.5 mm, junction box, 4 way	Pc	1.000	30.000	14.000	21.000
E	Casing & capping & Accessories - BSB Approved	N/A	1.000	30.000	0.000	0.000
1.0	PVC casing corner bend, 25X1.5 mm, external	Pc	1.000	30.000	9.000	74.000

2.0	PVC casing corner bend, 25X1.5 mm, internal	Pc	1.000	30.000	9.000	74.000
3.0	PVC CC junction box, 80mm, dia round	Pc	1.000	30.000	19.000	0.000
4.0	PVC CC junction box, 1 way, 25X1.5 mm	Pc	1.000	30.000	19.000	0.000
5.0	PVC CC junction box, 2 way, 25X1.5 mm	Pc	1.000	30.000	19.000	0.000
6.0	PVC CC junction box, 3 way, 25X1.5 mm	Pc	1.000	30.000	19.000	0.000
7.0	PVC CC junction box, 4 way, 25X1.5 mm	Pc	1.000	30.000	19.000	0.000
8.0	PVC casing and capping 25x1.5 mm	Pc	1.000	30.000	84.000	84.000
9.0	PVC CC 25X1.5 mm, 6 ft	Pc	1.000	30.000	84.000	0.000
10.0	PVC CC reducer corner bend 25X1.5mm	Pc	1.000	30.000	9.000	0.000
11.0	PVC CC corner bend 25X1.5mm	Pc	1.000	30.000	9.000	0.000
12.0	PVC casing corner bend, 20X1.5 mm, external	Pc	1.000	30.000	9.000	0.000
13.0	PVC casing corner bend, 20X1.5 mm, internal	Pc	1.000	30.000	9.000	0.000
14.0	PVC CC junction box, 1 way, 20X1.5 mm	Pc	1.000	30.000	19.000	0.000
15.0	PVC CC junction box, 2 way, 20X1.5 mm	Pc	1.000	30.000	19.000	0.000
16.0	PVC CC junction box, 3 way, 20X1.5 mm	Pc	1.000	30.000	19.000	0.000
17.0	PVC CC junction box, 4 way, 20X1.5 mm	Pc	1.000	30.000	19.000	0.000
18.0	PVC casing and capping 20x1.5 mm	Pc	1.000	30.000	69.000	69.000
19.0	PVC CC 25X1.5 mm, 6 ft	Pc	1.000	30.000	69.000	0.000
20.0	PVC CC reducer corner bend 20X1.5mm	Pc	1.000	30.000	9.000	0.000
21.0	PVC CC corner bend 20X1.5mm	Pc	1.000	30.000	9.000	0.000

22.0	PVC CC junction box, 4inchX4inchX1.5 mm	Pc	1.000	30.000	19.000	0.000
23.0	PVC CC 25X1.5 mm, Tee	Pc	1.000	30.000	9.000	0.000
24.0	PVC flexible Pipe/Hose Pipe, 25,	Mtrs	1.000	30.000	49.000	44.000
25.0	PVC flexible Pipe/Hose Pipe,25,	Mtrs	1.000	30.000	49.000	44.000
26.0	Gang box 1 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	24.000	29.000
27.0	Gang box 2 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	29.000	34.000
28.0	Gang box 3 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	34.000	39.000
29.0	Gang box 4 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	39.000	44.000
30.0	Gang box 6 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	44.000	64.000
31.0	Gang box 7 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	0.000	74.000
32.0	Gang box 8 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	0.000	84.000
33.0	Gang box 9 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	0.000	114.000
34.0	Gang box 10 way - Goldmedal/Newlike/Point er/BSB	Pc	1.000	30.000	0.000	164.000
F	Wooden Box - Teakwood	NA	1.000	30.000	0.000	0.000
G	Bakelite Sheet - Helium Sheet	NA	1.000	30.000	0.000	0.000
1.0	Bakelite Sheet, 4inchX4inchX 4 mm	Pc	1.000	30.000	39.000	20.000
2.0	Bakelite Sheet, 6inchX4inchX 4 mm	Pc	1.000	30.000	49.000	25.000

3.0	Bakelite Sheet, 8inchX6inchX 4 mm	Pc	1.000	30.000	64.000	45.000
4.0	Bakelite Sheet, 10inchX6inchX 4 mm	Pc	1.000	30.000	84.000	94.000
5.0	Bakelite Sheet, 10inchX8inchX 4 mm	Pc	1.000	30.000	99.000	114.000
6.0	Bakelite Sheet, 12inchX8inchX 4 mm	Pc	1.000	30.000	129.000	124.000
7.0	Bakelite Sheet, 12inchX16inchX 4mm	Pc	1.000	30.000	179.000	134.000
H	MS conduit - BME/MCC /BSB	NA	1.000	30.000	0.000	0.000
1.0	MS conduit pipe, 19mmX1.5X10	Pc	1.000	30.000	349.000	449.000
2.0	MS conduit pipe, 25mmX1.5X10	Pc	1.000	30.000	479.000	649.000
9.0	MS coupler, 1inchX1.5mm	Pc	1.000	30.000	39.000	0.000
10.0	MS angle bend (90 deg.) 1inchX1.5 mm	Pc	1.000	30.000	39.000	0.000
11.0	MS corner bend (90 deg.) 1inchX1.5 mm	Pc	1.000	30.000	39.000	0.000
12.0	MS junction box, 1X1.5mm, 1 way	Pc	1.000	30.000	44.000	44.000
13.0	MS junction box, 1X1.5mm, 2 way	Pc	1.000	30.000	44.000	44.000
14.0	MS junction box, 1X1.5mm, 3 way	Pc	1.000	30.000	44.000	44.000
15.0	MS junction box, 1X1.5mm, 4 way	Pc	1.000	30.000	44.000	44.000
16.0	MS tee joint 1inchX1.5mm	Pc	1.000	30.000	39.000	44.000
17.0	MS module Box, 1 module	Pc	1.000	30.000	84.000	99.000
18.0	MS module Box, 2 module	Pc	1.000	30.000	99.000	99.000
19.0	MS module Box, 3 module	Pc	1.000	30.000	119.000	114.000
20.0	MS module Box, 4 module	Pc	1.000	30.000	139.000	119.000
22.0	MS module Box, 6 module	Pc	1.000	30.000	179.000	124.000
23.0	PVC Modular Box, 1 way - Roma/BSB	Pc	1.000	30.000	84.000	74.000

24.0	PVC Modular Box, 2 way - Roma/BSB	Pc	1.000	30.000	99.000	74.000
25.0	PVC Modular Box, 3 way - Roma/BSB	Pc	1.000	30.000	119.000	84.000
26.0	PVC Modular Box, 4 way - Roma/BSB	Pc	1.000	30.000	139.000	94.000
28.0	PVC Modular Box, 6 way - Roma/BSB	Pc	1.000	30.000	179.000	114.000
29.0	PVC Modular Plates, 1&2 way - Roma/BSB	Pc	1.000	30.000	94.000	85.000
30.0	PVC Modular Plates, 3 way - Roma/BSB	Pc	1.000	30.000	119.000	115.000
31.0	PVC Modular Plates, 4 way - Roma/BSB	Pc	1.000	30.000	134.000	124.000
33.0	PVC Modular Plates, 6 way - Roma/BSB	Pc	1.000	30.000	154.000	134.000
34.0	Saddle 3/4inchX1.5 mm, steel - BME/MCC	Pkt	1.000	30.000	379.000	349.000
35.0	Saddle 1/2inchX1.5 mm, steel - BME/MCC	Pkt	1.000	30.000	379.000	0.000
36.0	Saddle 1inchX1.5 mm, steel - BME/MCC	Pkt	1.000	30.000	379.000	349.000
37.0	Wooden screw, 25 mm - BME/MCC	Pkt	1.000	30.000	74.000	84.000
38.0	Wooden screw, 35 mm - BME/MCC	Pkt	1.000	30.000	74.000	94.000
39.0	PVC dowel, 6X35mm, 100 pcs - BME/MCC	Pkt	1.000	30.000	79.000	99.000
40.0	PVC dowel, 8X35mm, 100 pcs - BME/MCC	Pkt	1.000	30.000	84.000	99.000
41.0	Machine screw, 1/2inch - BME/MCC	Pkt	1.000	30.000	149.000	199.000
42.0	Machine screw, 1inch - BME/MCC	Pkt	1.000	30.000	194.000	249.000
43.0	Casing capping pin/nail - BME/MCC	Pkt	1.000	30.000	34.000	84.000
I	Ceiling rose	NA	1.000	30.000	39.000	0.000
1.0	Ceiling rose - Goldmedal/Newlike/Pointer/BSB	Pc	1.000	30.000	39.000	29.000

J	Switches - Goldmedal/Newlike/Pointer/Roma/BSB	NA	1.000	30.000	0.000	0.000
1.0	6A, switch	Pc	1.000	30.000	24.000	29.000
2.0	15 A, single switch	Pc	1.000	30.000	94.000	0.000
3.0	15 A, double switch	Pc	1.000	30.000	149.000	0.000
4.0	Bell push switch	Pc	1.000	30.000	49.000	39.000
5.0	Bed switch, hang cord	Pc	1.000	30.000	49.000	0.000
6.0	Bell push, hang cord	Pc	1.000	30.000	49.000	0.000
7.0	Electronic fan regulator	Pc	1.000	30.000	249.000	204.000
8.0	Gyroscopic ceiling fan, 20” with protective grills	Pc	1.000	30.000	3499.000	2239.000
9.0	Two Way Switch	Pc	1.000	30.000	49.000	99.000
J1	Power Socket- Goldmedal/Newlike/Pointer/Roma/BSB	NA	1.000	30.000	0.000	0.000
1.0	5A, switch & socket	Pc	1.000	30.000	84.000	104.000
2.0	16A, switch & socket	Pc	1.000	30.000	154.000	249.000
3.0	5A, switch & socket with box	Pc	1.000	30.000	99.000	104.000
4.0	16A, switch & socket with box	Pc	1.000	30.000	229.000	249.000
5.0	16 A, switch & socket without fuse unit & indicator	Pc	1.000	30.000	219.000	209.000
6.0	16A, switch & socket with fuse unit& indicator with box	Pc	1.000	30.000	249.000	249.000
K	Plug top - Goldmedal/Newlike/Pointer/Roma/BSB	NA	1.000	30.000	0.000	0.000

1.0	6A, 3 pin/2 pin	Pc	1.000	30.000	59.000	74.000
2.0	16A, 3 pin	Pc	1.000	30.000	89.000	129.000
3.0	Multi plug top, ordinary	Pc	1.000	30.000	174.000	89.000
4.0	Multi plug top, for flat pin	Pc	1.000	30.000	194.000	149.000
5.0	Conversion plug	Pc	1.000	30.000	24.000	39.000
L	Telephone sockets	NA	1.000	30.000	0.000	0.000
1.0	RJ11 telephone out let point on 3 module metal box - MK india, New like	Pc	1.000	30.000	199.000	0.000
M	Indoor	NA	1.000	30.000	0.000	0.000
1.0	Ceiling light with diffuser cover - Decon, Command, Schreder/BSB	Pc	1.000	30.000	2499.000	0.000
2.0	Pendent holder with PVC cord grip - Decon, Command, Schreder/BSB	Pc	1.000	30.000	39.000	44.000
3.0	Plain Batten holder - Decon, Command, Schreder/BSB	Pc	1.000	30.000	49.000	44.000
4.0	Plain angle holder - Decon, Command, Schreder/BSB	Pc	1.000	30.000	49.000	44.000
5.0	Wall bracket with frosted glass dome- (Std) - Decon, Command, Schreder/BSB	Pc	1.000	30.000	1249.000	0.000
6.0	Wall bracket with frosted glass dome- (dec) - Decon, Command, Schreder/BSB	Pc	1.000	30.000	2249.000	0.000

7.0	Wall bracket with frosted glass dome- (Std) Single - Decon, Command, Schreder/BSB	Pc	1.000	30.000	2499.000	0.000
8.0	Wall bracket with frosted glass dome- (dec) Double - Decon, Command, Schreder/BSB	Pc	1.000	30.000	3499.000	0.000
9.0	40inch, 40 WX1fluorescent tube light (Box Type) with lamp - Wipro, Halonix	Pc	1.000	30.000	2499.000	0.000
10.0	40inch, 40 WX2fluorescent tube light (Box Type) with lamp - Wipro, Halonix	Pc	1.000	30.000	4994.000	0.000
11.0	20inch, 20 WX4fluorescent tube light (Box Type) with lamp - Wipro, Halonix	Pc	1.000	30.000	1849.000	0.000
12.0	40inch, 40 WX1fluorescent tube light-Basic rail with lamp - Wipro, Halonix	Pc	1.000	30.000	499.000	0.000
13.0	40inch, 40 WX2fluorescent tube light-Basic rail with lamp - Wipro, Halonix	Pc	1.000	30.000	4994.000	0.000
14.0	40inch, 40 WX1fluorescent tube light-box type with Cover and lamp.TCS 19/136HPF - Wipro, Halonix	Pc	1.000	30.000	5499.000	0.000
15.0	40inch, 40 WX2fluorescent tube light-box type with Cover and lamp.TCS19/236 HPF - Wipro, Halonix	Pc	1.000	30.000	5499.000	0.000

17.0	20inch, 20 WX1fluorescent tube light -basic rail - Wipro, Halonix	Pc	1.000	30.000	499.000	0.000
18.0	20inch, 20 WX1fluorescent tube light- box type - Wipro, Halonix	Pc	1.000	30.000	2499.000	0.000
20.0	LED Tube light 9 watt - Panasonic/Philip /BSB	Pc	1.000	30.000	219.000	375.000
21.0	LED Tube light 18 watt - Panasonic/Philip /BSB	Pc	1.000	30.000	449.000	649.000
N	Out door Lighting (Street lighting Luminaries)	NA	1.000	30.000	0.000	0.000
1.0	SPC101/70(E)HPF sodium vapour post top lamp set with conical cover - Philips /BSB	set	1.000	30.000	6499.000	0.000
2.0	SPC101/125(I)HPF sodium vapour post top lamp set with conical cover - Philips /BSB	set	1.000	30.000	7749.000	0.000
3.0	SPC101/250(E)HPF sodium vapour post top lamp set with elliptical cover - Philips /BSB	set	1.000	30.000	8799.000	0.000
4.0	SPC101/70(I)HPF sodium vapour post top lamp set with elliptical cover - Philips /BSB	set	1.000	30.000	6499.000	0.000
5.0	1X40W fluorescent lamp with electronic ballast - Philips /BSB	set	1.000	30.000	549.000	0.000
6.0	IMPACT Popular acrylic IP 65,1X70W,SON-T/MH SETGlass,LHRY28170D36.Road lighting - Havells. /BSB	set	1.000	30.000	6799.000	0.000

7.0	IMPACT Popular arcylc IP 65,1X125 W,SON-T/MH SETGlass, LHR28170A36. Road lighting - Havells. /BSB	set	1.000	30.000	7949.000	0.000
8.0	IMPACT Popular arcylc IP 65,1X250 W,SON-T/MH SETGlass, LHR28170A36. Road lighting - Havells. /BSB	set	1.000	30.000	9499.000	0.000
O	LED flood light - BSB Approved	NA	1.000	30.000	0.000	0.000
a	50 Watt	no	1.000	30.000	3799.000	5500.000
b	100 Watt	no	1.000	30.000	5499.000	7900.000
c	150 Watt	no	1.000	30.000	7999.000	11900.000
d	200 watt	no	1.000	30.000	9994.000	0.000
P	Glass/plastic Globe light - BSB Approved	NA	1.000	30.000	0.000	0.000
a	25mm dia	set	1.000	30.000	2499.000	0.000
b	150 mm dia	set	1.000	30.000	5499.000	0.000
Q	LED POST TOP Lantern - Philips, BSB Approved	NA	1.000	30.000	0.000	0.000
a	40 Watt	no	1.000	30.000	9499.000	0.000
b	45 watt	no	1.000	30.000	11499.000	0.000
R	LED street lighting - Do/homeflex,Mosebear BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	65 watt - Suitable to fit on 50 to 70 mm dia pole arms	no	1.000	30.000	6499.000	0.000
2.0	90 watt - Suitable to fit on 50 to 70 mm dia pole arms	no	1.000	30.000	8499.000	0.000

3.0	120 watt - Suitable to fit on 50 to 70 mm dia pole arms	no	1.000	30.000	9999.000	0.000
4.0	Analogue Timer - BSB Approved	no	1.000	30.000	8499.000	0.000
5.0	Digital Timer - BSB Approved	no	1.000	30.000	10499.000	0.000
6.0	Analogue Timer switches with Contractor - BSB Approved	no	1.000	30.000	24499.000	0.000
7.0	Digital Timer switches with contractor - BSB Approved	no	1.000	30.000	27499.000	0.000
8.0	Single phase contactor, 230v - BSB Approved	no	1.000	30.000	14499.000	5499.000
9.0	3-Phase Contactor, 4 pole - BSB Approved	no	1.000	30.000	22499.000	15000.000
10.0	Mini-Pillar Box (Height 1mx width 0.6mxThickness 0.4m), suitable to fit energy meter, switch gears, and busbars, etc	no	1.000	30.000	39499.000	18900.000
13.0	Pole Arms, Single - GI, 1.1m long, 50 to 70 mm dia	no	1.000	30.000	3499.000	0.000
14.0	Pole Arms, Double (Angle will be specified) - GI, 1.1m long, 50 to 70 mm dia	no	1.000	30.000	4799.000	0.000
15.0	Pole Arms, Triple, (Angle will be specified) - GI, 1.1m long, 50 to 70 mm dia	no	1.000	30.000	5499.000	0.000
O	Marshalling boxes - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	Marshalling box: 150X200X150 deep	Pc	1.000	30.000	3499.000	0.000
2.0	Marshalling box: 200X250X150 deep	Pc	1.000	30.000	3994.000	0.000
P	Out door Lamp - Phillips / BSB Approved	NA	1.000	30.000	0.000	0.000

1.0	1X70 W(E) thread type.	Pc	1.000	30.000	499.000	0.000
2.0	1X70 W(I) three pin type.	Pc	1.000	30.000	549.000	0.000
3.0	1X70 W(I) two pin type.	Pc	1.000	30.000	449.000	0.000
4.0	HPN-N160 watts, ES37, screw type	Pc	1.000	30.000	849.000	0.000
5.0	HPN-N125 watts, ES37, screw type	Pc	1.000	30.000	749.000	0.000
6.0	HPN-N125 watts, ES37, three pin type	Pc	1.000	30.000	749.000	0.000
7.0	SON lamp, 250 watts, ES	Pc	1.000	30.000	949.000	0.000
8.0	1X SON-T 250Watt,WB.	Pc	1.000	30.000	1749.000	0.000
9.0	Flood light lamp 400ts	Pc	1.000	30.000	24994.000	0.000
Q	Call Bell - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	Chimed musical electric call bell, 230V	Pc	1.000	30.000	199.000	249.000
2.0	Dingdong electric call bell, 240V	Pc	1.000	30.000	149.000	249.000
3.0	Brass going electric bell, heavy duty, 230V	Pc	1.000	30.000	249.000	0.000
R	Fans - Orient, Berlia / BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	Ceiling fan, 48inch /900mm sweep, 1400rpm	Pc	1.000	30.000	2849.000	0.000
2.0	Ceiling fan, 54inch , 1200mm sweep, 1400rpm	Pc	1.000	30.000	3499.000	2249.000
3.0	Ceiling fan, 56inch 1400mm sweep, 1400rpm	Pc	1.000	30.000	3799.000	4199.000
4.0	Exhaust fan, 12 mm dia	Pc	1.000	30.000	1749.000	2149.000
5.0	Exhaust fan, 18 mm dia	Pc	1.000	30.000	5799.000	4599.000
6.0	18inch dia fan with wall stand	Pc	1.000	30.000	2949.000	2910.000

7.0	24inch dia fan with wall stand	Pc	1.000	30.000	3299.000	3910.000
8.0	30inch dia fan with wall stand	Pc	1.000	30.000	3899.000	4910.000
9.0	18inch dia table fan	Pc	1.000	30.000	2799.000	2910.000
10.0	24inch dia table fan	Pc	1.000	30.000	2994.000	3910.000
11.0	30inch dia table fan	Pc	1.000	30.000	3249.000	4910.000
12.0	Pedestal fan 400mm sweep	Pc	1.000	30.000	3499.000	0.000
13.0	Pedestal fan 450mm sweep	Pc	1.000	30.000	3949.000	0.000
S	Bus Bars	NA	1.000	30.000	0.000	0.000
S1	Copper Bus bar- GEC, Havells, Hensel	NA	1.000	30.000	0.000	0.000
1.0	2X300mm, copper bus bar, 63A	Pc	1.000	30.000	2499.000	0.000
2.0	2X300mm, copper bus bar, 100A	Pc	1.000	30.000	3999.000	0.000
3.0	2X450mm, copper bus bar, 100A	Pc	1.000	30.000	4949.000	0.000
4.0	4X300mm, copper bus bar, 63A	Pc	1.000	30.000	2994.000	0.000
5.0	4X300mm, copper bus bar, 100A	Pc	1.000	30.000	4799.000	0.000
6.0	4X300mm, copper bus bar, 200A	Pc	1.000	30.000	6499.000	0.000
7.0	4X450mm, copper bus bar, 63A	Pc	1.000	30.000	3799.000	0.000
8.0	4X450mm, copper bus bar, 100A	Pc	1.000	30.000	6799.000	0.000
9.0	4X450mm, copper bus bar, 200A	Pc	1.000	30.000	8499.000	0.000
T	Electric water heater/ Geyser - Venus, Berlia, Racold	N/A	1.000	30.000	0.000	0.000
1.0	25 ltrs.	Pc	1.000	30.000	10994.000	11950.000
2.0	35 ltrs.	Pc	1.000	30.000	14995.000	13745.000

3.0	50 ltrs.	Pc	1.000	30.000	17999.000	14745.000
4.0	70 ltrs.	Pc	1.000	30.000	23499.000	16380.000
5.0	80 ltrs.	Pc	1.000	30.000	25999.000	0.000
6.0	100 ltrs.	Pc	1.000	30.000	34994.000	28600.000
9.0	Geyser coil, 1000 watts	Pc	1.000	30.000	649.000	899.000
10.0	Geyser coil, 1500 watts	Pc	1.000	30.000	749.000	1149.000
11.0	Geyser coil, 2000 watts	Pc	1.000	30.000	849.000	0.000
13.0	Thremostate	Pc	1.000	30.000	549.000	0.000
U	Incadescent Bulbs - Wipro/ Halonix	NA	1.000	30.000	0.000	0.000
6.0	60 watts	Pc	1.000	30.000	24.000	0.000
7.0	100 watts	Pc	1.000	30.000	24.000	0.000
8.0	Dreambulb,allcolours	Pc	1.000	30.000	29.000	69.000
9.0	200 watts	Pc	1.000	30.000	54.000	34.000
V	Tubes - Wipro/ Halonix	NA	1.000	30.000	0.000	0.000
1.0	36/40 Watts	Pc	1.000	30.000	74.000	69.000
2.0	20 watts	Pc	1.000	30.000	74.000	299.000
3.0	Choke, 40 watts, 230V	Pc	1.000	30.000	394.000	399.000
4.0	Choke, 70 watts, 230V	Pc	1.000	30.000	1299.000	1049.000
5.0	Choke, 150 watts, 230V	Pc	1.000	30.000	1549.000	0.000
6.0	Choke, 250 watts, 230V	Pc	1.000	30.000	1999.000	0.000
7.0	Tube Starter,230V	Pc	1.000	30.000	24.000	24.000
W	Control Gears	NA	1.000	30.000	0.000	0.000

W1	Distribution Board - GEC, Havells,	NA	1.000	30.000	0.000	0.000
1.0	SP DB 2 ways, Single door	Pc	1.000	30.000	194.000	294.000
2.0	SP DB 4 ways, Single door	Pc	1.000	30.000	299.000	349.000
3.0	SP DB 6 ways, Single door	Pc	1.000	30.000	399.000	559.000
4.0	SP DB 8 ways, Single door	Pc	1.000	30.000	529.000	669.000
5.0	SP DB 10 ways, Single door	Pc	1.000	30.000	694.000	1029.000
6.0	SP DB 12 ways, Single door	Pc	1.000	30.000	894.000	1249.000
7.0	SP DB 16 ways, Single door	Pc	1.000	30.000	1449.000	1949.000
8.0	TPN DB 4 ways, Single door	Pc	1.000	30.000	2499.000	674.000
9.0	TPN DB 6 ways, Single door	Pc	1.000	30.000	2999.000	994.000
10.0	TPN DB 8 ways, Single door	Pc	1.000	30.000	3749.000	1249.000
11.0	TPN DB 10 ways, Single door	Pc	1.000	30.000	4799.000	1449.000
12.0	TPN DB 12 ways, Single door	Pc	1.000	30.000	5999.000	1999.000
13.0	SP DB 16 ways, Single door	Pc	1.000	30.000	1449.000	2449.000
14.0	SP DB 2 ways, Double door	Pc	1.000	30.000	499.000	994.000
15.0	SP DB 4 ways, Double door	Pc	1.000	30.000	849.000	1044.000
16.0	SP DB 6 ways, Double door	Pc	1.000	30.000	1094.000	1254.000
17.0	SP DB 8 ways, Double door	Pc	1.000	30.000	1294.000	1522.000
18.0	SP DB 10 ways, Double door	Pc	1.000	30.000	1494.000	1695.000
19.0	SP DB 12 ways, Double door	Pc	1.000	30.000	1749.000	1755.000
20.0	SP DB 16 ways, Double door	Pc	1.000	30.000	2049.000	2300.000
21.0	TPN DB 4 ways, Double door	Pc	1.000	30.000	3249.000	2454.000

22.0	TPN DB 6 ways, Double door	Pc	1.000	30.000	3949.000	2974.000
23.0	TPN DB 8 ways, Double door	Pc	1.000	30.000	4994.000	3425.000
24.0	TPN DB 10 ways, Double door	Pc	1.000	30.000	5999.000	4464.000
25.0	TPN DB 12 ways, Double door	Pc	1.000	30.000	6994.000	5135.000
26.0	TPN DB 16 ways, Double door	Pc	1.000	30.000	8499.000	6435.000
W2	Single Pole, MCB- GEC, Havells, Legrand.	N/A	1.000	30.000	0.000	0.000
1.0	SPMCB, 6A	Pc	1.000	30.000	219.000	219.000
2.0	SPMCB, 10A	Pc	1.000	30.000	219.000	219.000
3.0	SPMCB, 16A	Pc	1.000	30.000	219.000	219.000
4.0	SPMCB, 20A	Pc	1.000	30.000	219.000	219.000
5.0	SPMCB, 25A	Pc	1.000	30.000	219.000	219.000
6.0	SPMCB, 32A	Pc	1.000	30.000	219.000	219.000
7.0	SPMCB, 40A	Pc	1.000	30.000	299.000	0.000
9.0	SPMCB, 63A	Pc	1.000	30.000	349.000	0.000
W3	Double Pole, MCB- GEC, Havells, Legrand.	N/A	1.000	1.000	0.000	0.000
1.0	DPMCB, 16A	Pc	1.000	30.000	849.000	884.000
2.0	DPMCB, 20A	Pc	1.000	30.000	849.000	884.000
3.0	DPMCB, 25A	Pc	1.000	30.000	849.000	0.000
4.0	DPMCB, 32A	Pc	1.000	30.000	849.000	884.000
5.0	DPMCB, 40A	Pc	1.000	30.000	1099.000	1149.000
7.0	DPMCB, 63A	Pc	1.000	30.000	1249.000	1253.000
W4	Triple pole, MCB - GEC, Havells, Legrand.	N/A	1.000	30.000	0.000	0.000

1.0	TPN, MCB, 32A	Pc	1.000	30.000	1499.000	1924.000
2.0	TPN, MCB, 40A	Pc	1.000	30.000	1999.000	1924.000
3.0	TPN, MCB, 63A	Pc	1.000	30.000	2199.000	2495.000
4.0	TPN, MCB, 100A	Pc	1.000	30.000	9499.000	0.000
W5	Miniture Case Circuit Breaker, BC - Havells, Legrand.	N/A	1.000	30.000	0.000	0.000
1.0	MCCB, 63A, 4 pole	Pc	1.000	30.000	4499.000	5994.000
2.0	MCCB, 100A, 4 pole	Pc	1.000	30.000	6499.000	6994.000
3.0	MCCB, 125A, 4 pole	Pc	1.000	30.000	6999.000	7994.000
W6	Miniture Case Circuit Breaker, BC - Havells, Legrand.	NA	1.000	30.000	0.000	0.000
1.0	MCCB, 160A, 4 pole	pc	1.000	30.000	12499.000	8994.000
2.0	MCCB, 200A, 4 pole	pc	1.000	30.000	16499.000	12419.000
3.0	MCCB, 400A, 4 pole	pc	1.000	30.000	29994.000	32149.000
W7	Residual Current circuit Breaker, RCCB- double Pole - Havells, Legrand.	NA	1.000	30.000	0.000	0.000
1.0	DP, RCCB, 25A, 30MA	Pc	1.000	30.000	4499.000	2993.000
2.0	DP, RCCB, 32A, 30MA	Pc	1.000	30.000	4499.000	2993.000
3.0	DP, RCCB, 40A, 30MA	Pc	1.000	30.000	6499.000	3149.000
4.0	DP, RCCB, 63A,30MA	Pc	1.000	30.000	7499.000	3559.000
W8	Residual Current Circuit Breaker, RCCB- four Pole- Havells, Legrand.	NA	1.000	30.000	0.000	0.000
1.0	TPN, RCCB, 25A, 30MA	Pc	1.000	30.000	6499.000	0.000

2.0	TPN, RCCB, 32A, 30MA	Pc	1.000	30.000	6499.000	3149.000
3.0	TPN, RCCB, 40A, 30MA	Pc	1.000	30.000	7499.000	3449.000
4.0	TPN, RCCB, 63A, 30MA	Pc	1.000	30.000	9499.000	6449.000
W9	Change Over Switch-Hensel,Geco	NA	1.000	30.000	0.000	0.000
1.0	100A, 415 volts, 4 pole	Pc	1.000	30.000	6499.000	12449.000
2.0	200A, 415 volts, 4 pole	Pc	1.000	30.000	9499.000	21449.000
X	Thimble - good quality	NA	1.000	30.000	0.000	0.000
1.0	50 sq.mm Al. socket	Pc	1.000	30.000	44.000	0.000
2.0	32 sq.mm Al. socket	Pc	1.000	30.000	24.000	0.000
3.0	25 sq.mm Al. socket	Pc	1.000	30.000	19.000	0.000
4.0	20 sq.mm Al. socket	Pc	1.000	30.000	19.000	0.000
5.0	16 sq.mm Al.socket	Pc	1.000	30.000	19.000	0.000
6.0	10 sq.mm Al. socket	Pc	1.000	30.000	19.000	0.000
Y	Earthing	NA	1.000	30.000	0.000	0.000
Y1	Copper earth Plate- Good quality	NA	1.000	30.000	0.000	0.000
1.0	600X600X3mm	set	1.000	30.000	9499.000	9994.000
2.0	300X300X3mm	set	1.000	30.000	2999.000	6994.000
Y2	GI earth plate- Good quality	N/A	1.000	30.000	0.000	0.000
1.0	600X600X3mm	set	1.000	30.000	1994.000	3149.000
2.0	300X300X3mm	set	1.000	30.000	449.000	449.000
3.0	Charcoal	Kg	1.000	30.000	79.000	6000.000
4.0	Salt	Kg	1.000	30.000	49.000	51.000

5.0	CI cover 300X300X3mm	Pc	1.000	30.000	1449.000	1249.000
6.0	GI Pipe	Mtrs	1.000	30.000	429.000	0.000
7.0	HDPE pipe 32mm dia	Mtrs	1.000	30.000	79.000	54.000
8.0	GI Spike Earthing	Pc	1.000	30.000	2499.000	1249.000
Z	Lightning Protection	NA	1.000	30.000	0.000	0.000
1.0	25mm dia 300mm long copper tube single prong at top with 85mm dia 3mm thick copper base plate	Pc	1.000	30.000	6499.000	0.000
2.0	25mm dia 900mm long copper tube four prong at top with 85mm dia 3mm thick copper base plate	Pc	1.000	30.000	12499.000	0.000
3.0	25mm dia 300mm long G.I tube single prong at top with 85mm dia 6mm thick copper base plate	Pc	1.000	30.000	5999.000	0.000
4.0	25x4mm G.I strip(Horizontal run)	Pc	1.000	30.000	3299.000	0.000
5.0	25x4mm copper strip (Horizontal Run)	Pc	1.000	30.000	9499.000	0.000
6.0	25x4mm G.I strip(Vertical Run)	Pc	1.000	30.000	3299.000	0.000
7.0	25x4mm copper strip(Vertical Run)	Pc	1.000	30.000	9499.000	0.000
Z1	Room heater - Panasonic, sharp	NA	1.000	30.000	0.000	0.000
1.0	Blower heater	Pc	1.000	30.000	2249.000	3449.000
2.0	Panel heater, 4 plate	Pc	1.000	30.000	0.000	4999.000
3.0	Panel heater, 8 plate	Pc	1.000	30.000	5799.000	0.000
4.0	Panel heater, 12 plate	Pc	1.000	30.000	7499.000	5149.000

5.0	Immersion heater	Pc	1.000	30.000	749.000	494.000
6.0	Halogen Heater	no	1.000	30.000	3499.000	2449.000
7.0	Wall Heater - Panasonic/Havells,philips	N/A	1.000	30.000	0.000	0.000
a	1000 watt	Pc	1.000	30.000	9994.000	0.000
b	1500 watt	Pc	1.000	30.000	14499.000	0.000
c	2000 watt	Pc	1.000	30.000	19994.000	0.000
AA	Electrical Appliances	NA	1.000	30.000	0.000	0.000
1.0	Automatic electric iron	Pc	1.000	30.000	2499.000	0.000
2.0	Automatic voltage stablizer, heavy duty, 1KVA	Pc	1.000	30.000	4949.000	0.000
3.0	Automatic voltage stablizer, Medium duty, 0.5KVA	Pc	1.000	30.000	3499.000	0.000
4.0	Power Strip, 4 ways, universal 15A.	Pc	1.000	30.000	1249.000	774.000
5.0	Fuse, 10A	Pc	1.000	30.000	49.000	49.000
6.0	Fuse, 2A	Pc	1.000	30.000	49.000	49.000
7.0	Battery, Everyday	Pc	1.000	30.000	79.000	15.000
8.0	Battery, Dura cell	Pc	1.000	30.000	99.000	134.000
9.0	Pencil battery, Everyday	Pc	1.000	30.000	64.000	15.000
10.0	Extension cord, Heavy duty	Pc	1.000	30.000	949.000	994.000
AB	Tools	NA	1.000	30.000	0.000	0.000
1.0	Hack saw blade, single	Pc	1.000	30.000	10.000	9.000
2.0	Hack saw blade, double	Pc	1.000	30.000	15.000	19.000

3.0	Hack saw frame	Pc	1.000	30.000	249.000	279.000
4.0	Ball pin hammer, 1/2 kg	Pc	1.000	30.000	199.000	294.000
5.0	Claw hammer, 1kg	Pc	1.000	30.000	299.000	324.000
6.0	Measuring tape, 50 mtrs.	Pc	1.000	30.000	649.000	764.000
7.0	Long nose plier - Tapara	Pc	1.000	30.000	249.000	339.000
8.0	Combination plier, small size- Tapara	Pc	1.000	30.000	249.000	319.000
9.0	Combination plier, medium size - Tapara	Pc	1.000	30.000	279.000	339.000
10.0	Poker - Tapara	Pc	1.000	30.000	199.000	0.000
11.0	Screw driver set - Tapara	Pc	1.000	30.000	249.000	294.000
12.0	Digital multi-meter true RMS, Kusum-MECO. As per the sample	Pc	1.000	30.000	2499.000	0.000
13.0	Electric drilling machine, hammering type, as per the sample	Pc	1.000	30.000	14499.000	0.000
14.0	Tester - Tapara	Pc	1.000	30.000	54.000	64.000
15.0	Digital tester, as per the sample	Pc	1.000	30.000	0.000	0.000
16.0	Tool kit with all the electrical tools - BOSCH	Set	1.000	30.000	9499.000	0.000
17.0	Soldering iron, as per the sample	Pc	1.000	30.000	649.000	994.000
18.0	Soldering lead	Pc	1.000	30.000	499.000	149.000
19.0	Digital Megger	Pc	1.000	30.000	0.000	0.000
20.0	Hydraulic Crimping Tools (FTYQ-300)	Pc	1.000	30.000	7499.000	0.000

21.0	Al alloy, simple ladder 6 ft. long cad.No. AL7501, Calcutta Anodizing Works, Manufacturers& Anodizing	Pc	1.000	30.000	9499.000	0.000
22.0	Al alloy, simple ladder 8 ft. long cad.No. AL7501,	Pc	1.000	30.000	12499.000	0.000
23.0	Al alloy, Self supporting ladder 6 ft. long cad.No. AL7520,	Pc	1.000	30.000	16499.000	0.000
24.0	Al alloy, Self supporting ladder 12 ft. long cad.No. AL7520,	Pc	1.000	30.000	19499.000	0.000
25.0	Al alloy, Self supporting Extension ladder 12 ft. long cad.No. AL7550,	Pc	1.000	30.000	19999.000	0.000
26.0	PVC insulation tape - steel grip	Roll	1.000	30.000	15.000	16.000
AB1	Wooden Drill Bit - Stainless Steel	NA	1.000	30.000	0.000	0.000
1.0	4mm	Pc	1.000	30.000	49.000	174.000
2.0	6mm	Pc	1.000	30.000	79.000	249.000
3.0	8mm	Pc	1.000	30.000	99.000	594.000
4.0	10mm	Pc	1.000	30.000	129.000	774.000
5.0	12mm	Pc	1.000	30.000	179.000	1134.000
6.0	16mm	Pc	1.000	30.000	299.000	1999.000
AB2	Concrete Drill Bit - Stainless Steel	NA	1.000	30.000	0.000	0.000
1.0	4mm	Pc	1.000	30.000	49.000	174.000
2.0	6mm	Pc	1.000	30.000	79.000	249.000
3.0	8mm	Pc	1.000	30.000	99.000	594.000

4.0	10mm	Pc	1.000	30.000	129.000	774.000
5.0	12mm	Pc	1.000	30.000	179.000	1134.000
6.0	16mm	Pc	1.000	30.000	299.000	1999.000
AB3	Welding Electrode	NA	1.000	30.000	0.000	0.000
1.0	For Steel Pipe	Pkt	1.000	30.000	949.000	0.000
2.0	For GI Pipe, 32 mm dia	Pkt	1.000	30.000	529.000	549.000
4.0	Solar charge Regulator,12V,10A,	Set	1.000	30.000	9499.000	54000.000
5.0	Indoor Luminaries,12V,11W CFP,4 Pin type.	Set	1.000	30.000	2499.000	0.000
6.0	DC Copper Cable,2.5sqmm x 2 core	Mtrs	1.000	30.000	249.000	0.000
AG	Furrule type alumunium alloy thimble for the following cable size	NA	1.000	30.000	0.000	0.000
1.0	25sq.mm,	Pc	1.000	30.000	19.000	0.000
2.0	35sq.mm,	Pc	1.000	30.000	24.000	0.000
3.0	50sq.mm,	Pc	1.000	30.000	29.000	0.000
4.0	70sq.mm,	Pc	1.000	30.000	39.000	0.000
5.0	95sq.mm,	Pc	1.000	30.000	49.000	0.000
6.0	120sq.mm,	Pc	1.000	30.000	79.000	0.000
7.0	150sq.mm,	Pc	1.000	30.000	94.000	0.000
8.0	185sq.mm,	Pc	1.000	30.000	124.000	0.000
9.0	225sq.mm,	Pc	1.000	30.000	279.000	0.000
10.0	240sq.mm,	Pc	1.000	30.000	329.000	0.000

11.0	300sq.mm,	Pc	1.000	30.000	449.000	0.000
AH	CFL Bulb - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	5 watt	each	1.000	30.000	199.000	0.000
2.0	8 watt (9Watt)	each	1.000	30.000	229.000	0.000
3.0	15 watt	each	1.000	30.000	249.000	0.000
4.0	18 watt (20 watt)	each	1.000	30.000	299.000	0.000
5.0	23 watt	each	1.000	30.000	349.000	0.000
6.0	25 watt	each	1.000	30.000	399.000	0.000
7.0	45 watt	each	1.000	30.000	849.000	649.000
AI	LED Bulb - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	5 watt	each	1.000	30.000	149.000	119.000
2.0	8 watt	each	1.000	30.000	199.000	149.000
3.0	12 watt	each	1.000	30.000	249.000	249.000
4.0	15 watt	each	1.000	30.000	349.000	279.000
5.0	18 watt	each	1.000	30.000	449.000	399.000
6.0	23 watt	each	1.000	30.000	629.000	599.000
7.0	25 watt	each	1.000	30.000	949.000	699.000
8.0	High Power LED Bulb	each	1.000	30.000	1949.000	0.000
AJ	LED Track Lighting - BSB Approved	NA	1.000	30.000	0.000	0.000
1.0	Track, 1 m	each	1.000	30.000	4499.000	0.000
2.0	Track, 2 m	each	1.000	30.000	949.000	0.000
3.0	LED Track Lighting Bulb, 10W and 20W	each	1.000	30.000	949.000	0.000

4.0	Isulation tape	each	1.000	30.000	15.000	19.000
AK	Air Conditioner(Blue Star)	NA	1.000	30.000	0.000	0.000
1.0	1 tonne, Split Type Hot and Cold	Each	1.000	30.000	59994.000	80000.000
2.0	1.5 tonne, Split Type Hot and Cold	Each	1.000	30.000	67999.000	100000.000
3.0	2 tonne, Split Type Hot and Cold	Each	1.000	30.000	74999.000	110000.000
				Grand Total	2396476.000	825366.000